



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Cora Science

8000 Anderson Square, Suite 113, Austin, TX 78757

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical and Microbiological Testing ***(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

March 30, 2022

Issue Date:

March 30, 2022

Expiration Date:

June 30, 2024

Revision Date:

July 07, 2023

Accreditation No.:

116374

Certificate No.:

L22-250-R1

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjllabs.com



Certificate of Accreditation: Supplement

Cora Science

8000 Anderson Square, Suite 113, Austin, TX 78757

Contact Name: Tyler West Phone: 512-856-5007

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT		
Microbiological ^F	Raw Materials, Extracts, Foods and Beverages, Supplements, Cosmetics	Total Aerobic Plate Count	USP <61> USP <2021>	D.L. = 10 CFU/g		
		Total Yeast and Mold Count				
		<i>Escherichia coli</i> and Total Coliforms Count	AOAC 991.14			
		Total <i>Enterobacteriaceae</i> Count	AOAC 2003.01			
		<i>Staphylococcus aureus</i> Count	AOAC 2003.07			
		<i>Escherichia coli</i> and Coliforms Detection	USP <62> USP <2022>		<i>Staphylococcus aureus</i> Detection	D.L. = 1 CFU/g
						D.L. = 1 CFU/10g
						D.L. = 1 CFU/g
						D.L. = 1 CFU/g
		<i>Pseudomonas aeruginosa</i> Detection	USP <62> USP <2022>		<i>Salmonella</i> and <i>Enterobacteriaceae</i> Detection	D.L. = 1 CFU/g
D.L. = 1 CFU/25g						
Plant Materials and Extracts, Foods and Beverages, Dietary Ingredients and Supplements, Cosmetics	<i>Listeria monocytogenes</i> Detection	SOP T005	LOQ: 1 CFU/g			
Chemical ^F	Raw Materials, Extracts, Foods and Beverages, Supplements	Mitragyna Alkaloids Assay: Mitragynine, 7-Hydroxymitragynine, Speciogynine, Paynantheine, Speciociliatine	AOAC SMPR 2015.008, SOP T102 by UHPLC-DAD	LOQ: 0.2 mg/g		
		Sceletium Alkaloids Assay: Mesembrine, Mesembrenone, Δ7-Mesembrenone	SOP T103 by UHPLC-DAD	LOQ: 0.2 mg/g		
		Kavalactones Assay: Kavain, Dihydrokavain, Methysticin, Dihydromethysticin, Yangonin, Desmethoxyyangonin	AOAC SMPR 2018.005 SOP T104 by UHPLC-DAD	LOQ: 0.2 mg/g		



Certificate of Accreditation: Supplement

Cora Science

8000 Anderson Square, Suite 113, Austin, TX 78757
Contact Name: Tyler West Phone: 512-856-5007

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Raw Materials, Extracts, Foods and Beverages, Supplements	Withania (Ashwagandha) Withanolides Assay: Withanolide A, Withanolide B, Withanoside IV, Withanoside V, Withaferin A, Withanone	AOAC SMPR 2015.007 by SOP T105 by UHPLC-DAD	LOQ: 0.2 mg/g
	Raw Materials, Extracts, Foods and Beverages, Supplements, Cosmetics	Phytocannabinoids Assay: CBC, CBCa, CBD, CBDa, CBDV, CBDVa, CBG, CBGa, CBN, Δ8-THC, Δ9-THC, THCa, THCV, THCVa	AOAC SMPR 2017.002 by SOP T101 by UHPLC-DAD	LOQ: 0.2 mg/g

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer ^F would mean that the laboratory performs this testing at its fixed location.